

RF Connector

Abbreviation for Connectors

S : Straight

B : Bulkhead-Mounted

P : Plug (male)

RA : Right angle

J : Jack (female)

D : Dip



Connector Name : BNC (SP)



Connector Name : BNC (RAP)



Connector Name : FME (SJ)



Connector Name : FME (SP)



Connector Name : IPEX



Connector Name : U.FL



Connector Name : H.FL



Connector Name : MXTK-92



Connector Name : MCX (SP)



Connector Name : MCX (RAP)



Connector Name : MMCX (SP)



Connector Name : MMCX (RAP)



Connector Name : N (SJ)



Connector Name : N (SP)



Connector Name : NC Card



Connector Name : TNC (SJ)



Connector Name : SMA (SP)



Connector Name : RSMA (SP)



Connector Name : SMA (SBJ)



Connector Name : SMB (RAP)



Connector Name : SMB (SBJ)



Connector Name : SSMB (SP)



Connector Name : SMC (SBJ)




Connector Name : SMC (SP)



Connector Name : FAKRA (D)



Connector Name : FAKRA (E/K)



- SType A: Radio with Feed tension
- Type B: Radio without Feed tension
- Type C: GPS
- Type D: Cellphone
- Type E : WiF
- Type F: TV2
- Type G: Remote Control Keyless Entry
- Type H: Radio Controlled Parking Heating
- Type K: Radio with IF

Serial / USB Connector



Connector Name : USB



Connector Name : DB9 (SJ)



Connector Name : PS2 (SJ)



Connector Name : PS2 (SP)